

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
1	20030408	22	Apparatus and method for compact icon display	US 6546263 B1	455/566	345/158; 345/173; 345/771; 455/550.1; 455/573
2	20030408	31	Object-drag continuity between discontinuous touch-screens	US 6545669 B1	345/173	345/1.1; 345/1.2
3	20030318	13	Coordinate data input apparatus, coordinate data input method, and storage medium storing coordinate information input program	US 6535205 B2	345/173	178/18.01; 341/5; 345/156; 345/174; 345/175; 345/179
4	20021029	14	Apparatus and method for tactile feedback from input device	US 6473069 B1	345/157	341/27; 341/34; 345/173
5	20020430	10	Pen drawing computer input device	US 6380929 B1	345/173	341/34
6	20000502	12	Method and apparatus for managing power consumption of a digitizing panel	US 6058485 A	713/320	345/173; 713/323; 713/340
7	19990302	9	Method and apparatus for in-place line width selection for graphics applications	US 5877750 A	345/173	178/18.01; 178/18.03; 178/19.01; 345/179; 345/180
8	19980616	18	Apparatus and method for audible feedback from input device	US 5767457 A	178/18.03	178/19.04; 345/156; 345/157; 345/173
9	19971028	18	Keyboard touchpad combination in a bivalve enclosure	US 5681220 A	463/37	345/169; 345/173; 463/46; 463/47

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
10	19970909	6	System for using a touchpad input device for cursor control and keyboard emulation	US 5666113 A	341/34	341/22; 345/157; 345/160; 345/168; 345/173
11	19961231	13	Visually impaired customer activated terminal method and system	US 5589855 A	345/173	235/379; 340/825.19
12	19961029	13	Computer based pen system and method for automatically cancelling unwanted gestures and preventing anomalous signals as inputs to such system	US 5570113 A	345/173	345/156; 345/157; 345/179; 345/863
13	19960827	12	Self cleaning touch screen display mechanism	US 5550564 A	345/173	
14	19940712	13	System to service processor interface for a tablet computer	US 5329625 A	345/173	

Type	L #	Hits	Search Text	DBs
1 BRS	L1	2008	(345/173-177).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2 BRS	L2	503	(178/18.01).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
3 BRS	L3	253	(178/19.01).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
4 BRS	L4	2513	1 or 2 or 3	USPAT; EPO; JPO; DERWENT; IBM_TDB
5 BRS	L5	207277	timer	USPAT; EPO; JPO; DERWENT; IBM_TDB
6 BRS	L6	244	pen-stroke or (pen adj stroke)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7 BRS	L7	16777	character adj recognition	USPAT; EPO; JPO; DERWENT; IBM_TDB
8 BRS	L8	2466	(threshold adj interval) or (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9 BRS	L9	1	6 and 7 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
10 BRS	L10	453	(382/185-186).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
11 BRS	L12	1	7 and 8 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12 BRS	L13	1836	345/173.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13 BRS	L14	28	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14 BRS	L15	83	7 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15 BRS	L16	15	5 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16 BRS	L17	249	4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L19	1484	4 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L20	8	8 and 19	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L18	670	8 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	314737	pen or stylus or finger	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	212	5 and 21 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L23	17	7 and 22	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	14569	178/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	98	7 and 24	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L26	86	21 and 25	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L27	1477	touchscreen	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L28	10739	touch adj screen	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L29	11700	27 or 28	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L30	1163	5 and 29	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L31	499	5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L32	0	5 and 27 and 6	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L33	257	21 and 29 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L34	28	4 and 33	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L35	56	6 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	Dbs
35	BRS	L36	37	18 and 21	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L37	52	29 and 5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L38	79399	count\$4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L39	770	29 and 38	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L40	43	7 and 39	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L41	1	5 and 6 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L42	565	wait\$5 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L43	16	29 and 42	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L44	959	count\$4 and (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L45	11	29 and 44	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L46	51863	345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	L47	41	5 and 7 and 46	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	L50	263398 0	memory or storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	L52	8927	input and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L53	250928	input near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	L54	2513	53 and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
51	BRS	L55	2	5903667.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	L56	187	7 and 54	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L58	9	24 and 56	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	L59	5	5 and 7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	L60	163	touch adj screen adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	L61	18	5 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	L62	33	46 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	L64	10	60 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	L71	73935	455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	L72	11	60 and 71	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	L73	5948	(software or application) and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	L74	12246	recogniz\$4 near character\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Type	L #	Hits	Search Text	DBs
63 BRS	L75	1644	73 and 74	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64 BRS	L76	0	44 and 75	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65 BRS	L77	346	(455/556.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66 BRS	L78	85	(455/556.2).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67 BRS	L79	408	(455/575.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68 BRS	L80	818	77 or 78 or 79	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69 BRS	L81	4	75 and 80	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70 BRS	L82	1016	455/566.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71 BRS	L84	17283	character near recognition	USPAT; EPO; JPO; DERWENT; IBM_TDB
72 BRS	L85	3894	80 or 82 or 10 or 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
73 BRS	L86	5948	73 and 84	USPAT; EPO; JPO; DERWENT; IBM_TDB
74 BRS	L87	6	60 and 86	USPAT; EPO; JPO; DERWENT; IBM_TDB
75 BRS	L89	1186	timer adj elapse\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB
76 BRS	L90	4	84 and 89	USPAT; EPO; JPO; DERWENT; IBM_TDB

Type	L #	Hits	Search Text	Dbs
77 BRS	L92	5405	timer near expir\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB
78 BRS	L93	26	84 and 92	USPAT; EPO; JPO; DERWENT; IBM_TDB
79 BRS	L94	5933	timer near interval	USPAT; EPO; JPO; DERWENT; IBM_TDB
80 BRS	L95	20	84 and 94	USPAT; EPO; JPO; DERWENT; IBM_TDB
81 BRS	L96	4273	timer near interrupt	USPAT; EPO; JPO; DERWENT; IBM_TDB
82 BRS	L97	1	60 and 96	USPAT; EPO; JPO; DERWENT; IBM_TDB
83 BRS	L100	3	96 and 99	USPAT; EPO; JPO; DERWENT; IBM_TDB
84 BRS	L103	56480	timer and interval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85 BRS	L104	95	1 and 103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86 BRS	L105	521	84 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87 BRS	L106	0	60 and 105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88 BRS	L107	444	84 and 46	USPAT; EPO; JPO; DERWENT; IBM_TDB
89 BRS	L108	1	60 and 107	USPAT; EPO; JPO; DERWENT; IBM_TDB
90 BRS	L109	768784	add or combine	USPAT; EPO; JPO; DERWENT; IBM_TDB
91 BRS	L110	9932	103 and 109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Type	L #	Hits	Search Text	DBs
92 BRS	L111	7	60 and 110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93 BRS	L112	756	timer and (threshold adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94 BRS	L113	32	109 and 60	USPAT; EPO; JPO; DERWENT; IBM_TDB
95 BRS	L114	13382	character adj code	USPAT; EPO; JPO; DERWENT; IBM_TDB
96 BRS	L115	19	112 and 114	USPAT; EPO; JPO; DERWENT; IBM_TDB
97 BRS	L117	32	60 and 109	USPAT; EPO; JPO; DERWENT; IBM_TDB
98 BRS	L118	29	1 and 114	USPAT; EPO; JPO; DERWENT; IBM_TDB
99 BRS	L119	14	1 and 92	USPAT; EPO; JPO; DERWENT; IBM_TDB

Type	L #	Hits	Search Text	DBs
1 BRS	L1	2008	(345/173-177).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2 BRS	L2	503	(178/18.01).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
3 BRS	L3	253	(178/19.01).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
4 BRS	L4	2513	1 or 2 or 3	USPAT; EPO; JPO; DERWENT; IBM_TDB
5 BRS	L5	207277	timer	USPAT; EPO; JPO; DERWENT; IBM_TDB
6 BRS	L6	244	pen-stroke or (pen adj stroke)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7 BRS	L7	16777	character adj recognition	USPAT; EPO; JPO; DERWENT; IBM_TDB
8 BRS	L8	2466	(threshold adj interval) or (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9 BRS	L9	1	6 and 7 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
10 BRS	L10	453	(382/185-186).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
11 BRS	L12	1	7 and 8 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12 BRS	L13	1836	345/173.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13 BRS	L14	28	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14 BRS	L15	83	7 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15 BRS	L16	15	5 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16 BRS	L17	249	4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L19	1484	4 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L20	8	8 and 19	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L18	670	8 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	314737	pen or stylus or finger	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	212	5 and 21 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L23	17	7 and 22	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	14569	178/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	98	7 and 24	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L26	86	21 and 25	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L27	1477	touchscreen	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L28	10739	touch adj screen	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L29	11700	27 or 28	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L30	1163	5 and 29	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L31	499	5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L32	0	5 and 27 and 6	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L33	257	21 and 29 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L34	28	4 and 33	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L35	56	6 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
35	BRS	L36	37	18 and 21	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L37	52	29 and 5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L38	79399	count\$4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L39	770	29 and 38	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L40	43	7 and 39	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L41	1	5 and 6 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L42	565	wait\$5 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L43	16	29 and 42	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L44	959	count\$4 and (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L45	11	29 and 44	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L46	51863	345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	L47	41	5 and 7 and 46	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	L50	263398 0	memory or storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	L52	8927	input and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L53	250928	input near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	L54	2513	53 and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
51	BRS	L55	2	5903667.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	L56	187	7 and 54	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L58	9	24 and 56	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	L59	5	5 and 7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	L60	163	touch adj screen adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	L61	18	5 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	L62	33	46 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	L64	10	60 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	L71	73935	455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	L72	11	60 and 71	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	L73	5948	(software or application) and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	L74	12246	recogniz\$4 near character\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Type	L #	Hits	Search Text	Dbs
63 BRS	L75	1644	73 and 74	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64 BRS	L76	0	44 and 75	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65 BRS	L77	346	(455/556.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66 BRS	L78	85	(455/556.2).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67 BRS	L79	408	(455/575.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68 BRS	L80	818	77 or 78 or 79	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69 BRS	L81	4	75 and 80	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70 BRS	L82	1016	455/566.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71 BRS	L84	17283	character near recognition	USPAT; EPO; JPO; DERWENT; IBM_TDB
72 BRS	L85	3894	80 or 82 or 10 or 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
73 BRS	L86	5948	73 and 84	USPAT; EPO; JPO; DERWENT; IBM_TDB
74 BRS	L87	6	60 and 86	USPAT; EPO; JPO; DERWENT; IBM_TDB